

3333 Earhart Drive Suite 210  
Carrollton, TX 75006  
Phone: (972) 247-7229  
Fax: (972) 247-7810



# Email Transmission

**To: Rhode Island DEM**

**From: Quintin Reneau**

**Email: [DEM.Filereview@dem.ri.gov](mailto:DEM.Filereview@dem.ri.gov)**

**Project: T21-4498C**

**Fax: (401)222-3810**

**Date: October 15, 2021**

**Phone: (401) 222-4700**

**Pages: 1**

**Re:**

**CC:**

☐ Urgent    ☒ For Review    ☐ Please Comment    ☒ Please Reply    ☐ Please Recycle

Targus is currently performing a Phase I Environmental Site Assessment at the following addresses:

181 Corliss Street,  
Providence, RI 02904

101 Corliss Street,  
Providence, RI 02904

120 Corliss Street  
Providence, RI 02904

136 Corliss Street  
Providence, RI 02904

200 Corliss Street,  
Providence, RI 02904

Your assistance and file information for this address is requested to identify potential sources of environmental concern that may have occurred. Such information may consist of fuel or chemical storage activities, drycleaner information, compliance and inspection reports, septic system, drainage and water quality, environmental enforcement activities, brownfields, underground storage tanks, wells, solid waste, permitting, emergency responses to fires, hazardous material responses, spills, and/or releases or observations noted during routine fire inspections.

We appreciate your help with this project. Please contact **Quintin Reneau** by telephone at **(972) 247-7229** or via email at **[qreneau@targusassociates.com](mailto:qreneau@targusassociates.com)** or facsimile at **(972) 247-7810** with any questions or comments regarding this inquiry. Thank you for your time.

Sincerely,

Targus Associates, LLC

**Quintin Reneau**  
**Staff Professional**